
# CHIMNEY POTS



# ATLANTIC TERRACOTTA



# CHIMNEY POTS

of

## ATLANTIC TERRA COTTA



MARCUS WARD HOME, MAPLEWOOD, N. J.


JOHN RUSSELL POPE, Architect
A. B. TROWBRIDGE, Consulting Architect

Almost two hundred specially made chimney pots, similar in design to our CP-08 series, in a dark red color with a rugged texture. Many of these are used for vents instead of flues.

### ATLANTIC TERRA COTTA COMPANY

19 WEST 44th STREET, NEW YORK, N. Y.

Southern Branch: ATLANTA TERRA COTTA CO., Glenn Building, Atlanta, Ga. Factories at Perth Amboy, N. J.: Tottenville, S. I.: Rocky Hill, N. J.: East Point, Ga.



# Chimney Pots of Atlantic Terra Cotta

Atlantic chimney pots serve both a decorative and practical purpose inasmuch as they increase the draft of a chimney and add a colorful and decorative touch to the roof line. They are appropriate for all types of residences and the garden type of apartment house and are absolutely necessary on all buildings of an old English character if the design is to be complete architecturally.

We manufacture thirty-one different designs in a complete range of standard flue sizes. Many models are authentic reproductions of Georgian, Tudor and Elizabethan chimney pots; others are modern in concept. All are beautifully proportioned and available in any desired Atlantic color in addition to those on pages 8 and 9. Finishes, too, are optional—smooth unglazed, matt glazed or lustrous glazed.

Because of this wide range of sizes, colors and finishes, it is undesirable to keep Atlantic chimney pots in stock. They are always made by hand to order and their manufacture requires approximately four weeks to complete. (The exceptions to this rule are the following models in the CP-08 series, CP-508, CP-608 and CP-708—which are kept in stock in buff and red colors at our Perth Amboy, N. J., plant.)

The illustrations throughout this book give but a small idea of the attractiveness that an Atlantic chimney pot adds to a building. Their charm lies not only in their design but in their color, and color is becoming increasingly important in residential architecture.

To Specify Atlantic Chimney Pots: If a chimney pot clause is made a part of the general specifications, the contractor can include chimney pots in his original bid, and we shall receive his order in ample time to manufacture them with the full craftsmanship that chimney pots require.

We suggest the following specification clause: The chimney pots shall be manufactured by the Atlantic Terra Cotta Company, 19 West 44th Street, New York, according to designs in the Atlantic Company's Chimney Pot Catalog, as follows:

Quantity

Design Number

Color Number

Or

The chimney pots shall be manufactured by the Atlantic Terra Cotta Company, 19 West 44th Street, New York, according to the Architect's design as follows:

Quantity

Description

Color

Note: The Atlantic Terra Cotta Company manufactures several other items for residential use. Garden pottery, urns, vases, pedestals, benches, fountains and statuary; Roof tile—Norman, Spanish, Mission, Brittany Shingle and Classic; Floor Tile, promenade tile and garden flagging, and many other such decorative objects for both interiors and exteriors. Send for complete information.



Above:—Specially made chimney pots for a residence in Dobbs Ferry, N. Y., Taylor & Levy, Architects. These are 12 feet in height with covered tops, in two shades of red.

Below:—A number of residences in the Whitehall Estates in Deal, N. J., Robert G. Edwards, Architect. Atlantic chimney pots are frequently specified on large residential projects such as this, the Rockefeller Forest Hills Development in Cleveland\* and many others.

\*T. J. Andrews, Architect

# ATLANTIC CHIMNEY POTS



Net Price List No. 5

In effect—November, 1933

This price list supersedes all others previously issued. Prices are subject to change without notice.

Based on Chimney Pots carefully packed for shipment, f.o.b., Perth Amboy, N. J.

For Southern Orders, f.o.b., East Point, Georgia

デ

THE following prices refer to all Atlantic chimney pot models as listed in our 1933 catalog.

All colors as shown are the same price. An extra charge of \$1.00 per pot will be made for the smoked top effect as illustrated on pages six, thirteen and fifteen.

Estimates on special designs will be made without obligation.


It will be appreciated and will save time if new customers, not rated with Dun and Bradstreet, Inc., will furnish bank references. Architects, contractors and home owners may find it more convenient to purchase through their local building supply dealer.

Give full shipping directions when ordering: City, State, Address and routing desired. All shipments are by freight unless otherwise requested.

Model Number	Price	Approx. Packed Weight (Pounds)	Model Number	Price	Approx. Packed Weight (Pounds)	Model Number	Price	Approx. Packed Weight (Pounds)
CP-500	\$ 8.50	85	CP-504	\$18.00	215	CP-509	\$ 9.00	115
600	10.00	125	604	22.00	315	609	11.00	135
700	14.50	200	704	24.00	365	709	14.00	220
800	18.00	300	804	27.50	425	809	17.00	295
CP-500A	\$ 8.50	80	CP-505	\$ 8.50	65	CP-510	\$ 8.00	60
600A	10.00		605	11.00	135	610	9.25	
700A	14.50		705	12.50	180	710	12.00	10 10 100
800A	15.50	AND REPORT OF THE	805	16.00	265	810	14.50	
00011	13.30	210	CP-506	\$ 8.00	80	010-	17.50	
CP-501	\$ 8.50	90	606	9.00	135	CP-511	\$ 9.00	90
601	11.00	135	706	14.00	215	611	10.00	120
701	14.50	200	806	16.00	280	711	13.50	195
801	17.50	265	CP-507	\$19.00	290	811	17.00	295
CD FOO	4 0 50	05	607	20.50	265	CD 510	416.05	100
CP-502	\$ 8.50		707	22.50	330	CP-512	\$16.25	
602	10.00		807	26.00	430	612	17.50	
702	14.50		CD FOO	¢ 0 00	100	712	20.50	
802	17.50	265	CP-508	\$ 9.00		812	23.00	415
CD 502	41200	100	608	11.00	CONTRACTOR OF THE PARTY OF THE	CD 512	411.00	445
CP-503	\$13.00		708	14.00		CP-513	\$11.00	
603	15.00		808	17.00		613	13.50	
703	19.00		908	19.00		713	18.50	
803	23.00	400	1008	23.00	415	813	21.00	345

Model Number	Price	Approx. Packed Weight (Pounds)	Model Number	Price	Approx. Packed Weight (Pounds)	Model Number	Price	Approx. Packed Weight (Pounds)
CP-514	\$13.00	165	CP-521	\$ 9.00	100	CP-525A	\$ 9.25	135
614	17.00	265	621	12.00	155	625A	12.75	160
714	20.00	280	721	14.50	225	725A	14.00	220
814	23.00	370	821	17.00	295	825A	18.25	295
CP-515	\$ 9.00	85	CP-522	\$15.00	185	CP-526	\$12.00	135
615	10.00	135	622	17.50	255	626	17.00	225
715	14.50	225	722	19.50	305	726	19.50	305
815	18.00	300	822	21.00	365	826	23.00	400
CP-516	\$ 9.00		CP-523	\$ 9.00	135	CP-527	\$ 8.50	80
616	14.00		623	11.00	200	627	10.00	115
716	17.00	265	723	14.00	255	727	12.00	165
816	20.00	335	823	17.00	335	827	14.00	215
CP-517	\$21.00	345	923	23.00				
617	22.00		1023	27.00	535	CP-528	\$13.50	
717	23.50					628	19.00	
817	26.50		CP-523A	\$ 9.25		728	21.00	
	20.50	, 103	623A	12.75		828	26.00	465
CP-518	\$15.00	175	723A	14.00				
618	16.00	190	823A	18.23	5 320	CP-529	\$17.50	
718	18.00	280	AST SEX	15 15 15	1734	629	19.00	
818	21.00	360	CP-524	\$ 9.00		729	22.00	
			624	11.00		829	24.00	
CP-519	\$11.00	120	724	14.00		929	27.00	
619	12.00	140	824	17.00	300	1029	31.00	355
719	14.00	200	Name of the Party					
819	18.00	280	CP-525	\$ 9.00		CP-630	\$19.00	
			625	11.00		730	20.00	
CP-520	\$20.00		725	14.00		830	22.50	400
620	21.00		825	17.00				
720	23.00		925	23.00		CP-631	\$21.00	
820	26.00	465	1025	27.00	535	831	25.00	265

Important: Atlantic chimney pots are made to order and the manufacturing time requires about four weeks, a fact that should be kept in mind to prevent installation delays.



# Chimney Pots of Atlantic Terra Cotta

Atlantic chimney pots serve both a decorative and practical purpose inasmuch as they increase the draft of a chimney and add a colorful and decorative touch to the roof line. They are appropriate for all types of residences and the garden type of apartment house and are absolutely necessary on all buildings of an old English character if the design is to be complete architecturally.

We manufacture thirty-one different designs in a complete range of standard flue sizes. Many models are authentic reproductions of Georgian, Tudor and Elizabethan chimney pots; others are modern in concept. All are beautifully proportioned and available in any desired Atlantic color in addition to those on pages 8 and 9. Finishes, too, are optional—smooth unglazed, matt glazed or lustrous glazed.

Because of this wide range of sizes, colors and finishes, it is undesirable to keep Atlantic chimney pots in stock. They are always made by hand to order and their manufacture requires approximately four weeks to complete. (The exceptions to this rule are the following models in the CP-08 series, CP-508, CP-608 and CP-708—which are kept in stock in buff and red colors at our Perth Amboy, N. J., plant.)

The illustrations throughout this book give but a small idea of the attractiveness that an Atlantic chimney pot adds to a building. Their charm lies not only in their design but in their color, and color is becoming increasingly important in residential architecture.

To Specify Atlantic Chimney Pots: If a chimney pot clause is made a part of the general specifications, the contractor can include chimney pots in his original bid, and we shall receive his order in ample time to manufacture them with the full craftsmanship that chimney pots require.

We suggest the following specification clause: The chimney pots shall be manufactured by the Atlantic Terra Cotta Company, 19 West 44th Street, New York, according to designs in the Atlantic Company's Chimney Pot Catalog, as follows:

Quantity

Design Number

Color Number

Or:


The chimney pots shall be manufactured by the Atlantic Terra Cotta Company, 19 West 44th Street, New York, according to the Architect's design as follows:

Quantity

Description

Color


Note: The Atlantic Terra Cotta Company manufactures several other items for residential use. Garden pottery, urns, vases, pedestals, benches, fountains and statuary; Roof tile—Norman, Spanish, Mission, Brittany Shingle and Classic; Floor Tile, promenade tile and garden flagging, and many other such decorative objects for both interiors and exteriors. Send for complete information.



Below:—A number of residences in the Whitehall Estates in Deal, N. J., Robert G. Edwards, Architect. Atlantic chimney pots are frequently specified on large residential projects such as this, the Rockefeller Forest Hills Development in Cleveland\* and many others.

\*T. J. Andrews, Architect






Flue dimensions by inside measurement at narrowest point. Base dimensions by outside measurement.


At left:—Residence in Atlanta, Ga., Cooper & Cooper, Inc., Architects. On this very attractive installation there are 9 chimney pots in gray, tan and a mottled buff. No two pots of the same color were used on any chimney. The illustration shows models from our CP-03; CP-06; CP-10; CP-26 and CP-27 series, all manufactured by our Atlanta plant.


In circle:—Residence at Sewickley, Pa., R. Clepston Sturges, Architect. The beauty of this building, in a modified Tudor style of architecture, is enhanced and authenticated by the addition of these very appropriate Atlantic Chimney Pots. The illustration shows two CP-607; two CP-616; one CP-520; two CP-720, all in our standard red color.



Above:—Residence in Akron, Ohio, F. F. Smith, Architect. In this installation the chimney pots are not only ornamental but necessary to extend the chimney flue above the roof line. Six chimney pots in all were used, the ones shown being a CP-607 and a CP-604, both in our No. 1055-Blue which harmonizes perfectly with the slate roof.


At left:—Residence in Baltimore, Md., Lawrence Hall Fowler, Architect. This interesting Norman house with its rather unusual chimney is attractively topped off by five Atlantic chimney pots. On wide chimneys such as this, chimney pots are very desirable to prevent a back draft of smoke down an unused flue. Designs are, in order: CP-608, CP-510, CP-609, CP-608 and CP-601, all in our red color.






CP-05 Series


Number	Flue		Base	Height
CP505	9"	Diam.	11"	1'81/2"
CP605	12"		1'2"	1'11"
CP705	15"		1'6"	2'2"
CP805	18"		1'9"	2'8






CP-08 Series

Number	Flue	Base	Heigh
CP508	9" Diam.	1'1"	2'0"
CP608	12"	1'4"	2'2"
CP708	15"	1'7"	2'5"
CP808	18"	1'10"	2'9"
CP908	20"	2'0"	3'0"
CP1008	24"	2'4"	3'4"




CP-07 Series


Number	Flue	Base	Height
CP507	8" Diam.	1'2"	3'6"
CP607	12"	1'6"	3'8"
CP707	15"	1'9"	3'10"
CPS07	18"	2'0"	4'0"



CP-06 Series

Number	Flue	Base	Height
CP506	8"x8"	$1'2^{1/2}''x1'2^{1/2}''$	1'11/2"
CP606	12"x12"	$1'6\frac{1}{2}''x1'6\frac{1}{2}''$	$1'4\frac{1}{2}''$
CP706	15"x15"	1'9"x1'9"	1'9"
CP806	18"x18"	$2'0'' \times 2'0''$	2'0"






8" × 12" inside at base

CP-09 Series


Number	Flue	Base	Height
CP509	10"x6"	14"x10"	2'0"
CP609	12"x8"	16"x12"	2'2"
CP709	15"x10"	19"x14"	2'5"
CP809	18"x12"	22"x16"	2'9"



CP-617 in red.


chimney pot with the round base is CP-614; that with the round shaft and square base is CP-626. Please note the illustrations of CP-614 and CP-626 have been reversed. The






#### CP-10 Series


Number	Flue	Base	Height
CP510	8" Diam.	1'0"	1'5"
CP610	12"	1'4"	1'7"
CP710	15"	1'7"	2'0"
CP810	18"	1'10"	2'4"






#### CP-13 Series

Number	Fluc	Base	Height
CP513	8" Oct.	12"	2'51/2"
CP613	12"	1'4"	2'91/2"
CP713	15"	1'7"	3′0″
CP813	18"	1'11"	3'3"




#### CP-12 Series


Number	Flue	Base	Height
CP512	8" Diam.	1'2"	3'6"
CP612	12"	1'6"	3'8"
CP712	15"	1'9"	3'10"
CP812	18"	2'0"	4'0"



#### CP-11 Series

Number	Flue	Base	Height
CP511	8" Oct.	1'1"	1'5"
CP611	12"	1'5"	1'7"
CP711	15"	1'8"	2'0"
CP811	18"	1'11"	2'5"





CP-14 Series


Number	Flue	Base	Height
CP514	8" Diam.	$1'2^{1/2}''$	2'7"
CP614	12"	$1'6\frac{1}{2}''$	2'11"
CP714	15"	$1'9\frac{1}{2}''$	3'1"
CP814	18"	2'1"	3′5″

Round chimney pots can be used on square flues, and vice versa.





Color—rich and vivid or neutral in tone, to harmonize or contrast with the walls or roof or to accentuate the skyline of a building. Atlantic chimney pots are unique in the fact that they are available in an almost unlimited range of colors besides those illustrated—and without any additional charge.

The colors illustrated are approximate; it is impossible to give an exact idea on paper of the beauty of Atlantic colors in tone and texture.





Colors No. 904 and No. 910 are warm in tone with a smooth, unglazed surface. No. 807 is a fieldstone gray with a rough, sanded surface. Colors No. 1020, No. 1055 and No. 952 and No. 2114 are matt glazes giving a soft, rich tone that must be seen to be truly appreciated. Color No. 1051 is a lustrous glaze, a finish which is very suitable for chimney pots that are an integral part of the architectural design. Samples of these and any other colors will be sent on request.






Gr-13 Stites					
luc	Base	Height			
Diam.	1'2"	1'3"			
"	1'6"	1'6"			
"	1'9"	1'10"			
"	2'0"	2'1"			
,	`lue	Clue Base ' Diam. 1'2" 2" 1'6" 5" 1'9"			






CP-17 Series					
Number	Flue	Base	Height		
CP517	8" Diam.	1'2"	3'6"		
CP617	12"	1'6"	3'8"		
CP717	15"	1'9"	3'10"		
CP817	18"	2'0"	4'0"		




	CP-16 S	CP-16 Series		
Number	Flue	Base	Height	
CP516	7" Oct.	12"	2'0"	
CP616	12"	1'5"	2'5"	
CP716	15"	1'8"	2'9"	
CP816	18"	1'11"	3'0"	



← ### CP-18 Series			CP-19 Series				
Number	Flue	Base	Height	Number	Flue	Base	Height
CP518	11" Diam.	1'4"	3'0"	CP519	8" Diam.	1'1"	2'0"
CP618	12"	1'5"	3'0"	CP619	12"	1'5"	2'2"
CP718	15"	1'8"	3'3"	CP719	15"	1'8"	2'6"
CP818	18"	1'11"	3'7"	CP819	18"	1'11"	3′0″

Estimates for original designs submitted on request.





Above:—Another residence in the Whitehall Estates in Deal, N. J., Robert G. Edwards, Architect. Two CP-518 chimney pots in buff which harmonizes with the brown rubble stone of

the chimney and building exterior.

At right:—Residence at Bloomfield Hills, Mich., J. Robert F. Swanson, Architect. An interesting view of a combination of a CP-614, CP-617 and CP-618 in a buff color. The chimney in this case could not have been extended higher without losing balance, consequently Atlantic chimney pots were used to bring the chimney flues above the roof line.


In circle:—Residence at Bryn Athyn, Penn., Wetherill, P. Trout and Llewellyn Price, Associate Architects. An unusual view of Atlantic chimney pots which in this case were used more for their practical purpose of increasing the draft of the chimney than for ornaments.









CP-20 Series					
Number	Flue	Base	Height		
CP520	8" Diam	. 1'2"x1'2"	3'6"		
CP620	12"	1'6''x1'6''	3'8"		
CP720	15"	1'9"x1'9"	3'10"		
CP820	18"	2'0"x2'0"	4'0"		
	Square	Base			










			(
CP-22 S	Series		•
Flue	Base	Height	
" Diam.	1'2"x1'2"	3'6"	
2" 5"	1'6"x1'6"	3'8"	
5"	1'9"x1'9"	3'10"	
Saugra	2'0"x2'0"	4'0"	
Square	Dase		




Number	Flue	Base	Height		
CP521	8" Diam.	1'2"x1'2"	1'3"		
CP621		1'6"x1'6"			
CP721	15"				
CP821	18"	$2'0'' \times 2'0''$	2'1"		
	Square B	ase			
	*				
		CP-2	24 Seri	es	
	Number	Flue		Base	Heigh
	CP524	8" Di	am. $1'$	$1'' \times 1' 1''$	2'0"
	CP624			5"x1'5"	
	CP724		1'8	8"x1'8"	2'5"
	CP824			11"x1'11'	
			are Bas		
		1			


CP-21 Series


Number


In Chimney Pots with square bases the flue at the base is several inches larger than at the top.




	CP-23	Series	
Number	Flue	Base	Height
CP 523	8" square	1'1"x1'1"	2'0"
CP 623	12" "	1'5"x1'5"	2'2"
CP 723	15" "	1'8"x1'8"	2'5"
CP 823	18" "	1'11"x1'11"	2'9"
CP 923	20" "	2'1"x2'1"	3'0"
CP1023	24" "	2'5"x2'5"	3'2"
CP523A	10"x6"	15"x11"	2'0"
CP623A	12"x8"	17"x13"	2'2"
CP723A	15"x10"	20"x15"	2'5"
CP823A	18"x12"	23"x17"	2'9"








Architect. Chimney pots in the CP-08 and CP-30 series in four different shades of natural red. A variation in the height and color of chimney pots such as in this installation is most attractive when the general scheme is somewhat informal.




Above:—Commercial Building in Hollis, L. I. An interesting composition showing one of our CP-614 models in a red color. Besides its obvious utility this chimney pot very nicely ornaments an otherwise rather plain brick chimney.

At left:—An unusual installation on a church building in Denville, N. J., Walter Slifer, Architect. Illustrated are two CP-606 and one CP-908 in a gray color proving again that Atlantic chimney pots are appropriate and desirable on buildings of extremely varied types.




Note: It is not necessary to use a chimney pot with a square base on a square flue. Square bases should be used, however, when a round base will not cover the entire flue.




The CP-29 series, as above, was designed for use in conjunction with household incinerators, to hide the rather unattractive basket screen that is used to catch light waste material, that might otherwise be blown up and out of the flue. The louvres increase the normal draft, making this model exceptionally desirable for this purpose and for improving the draft of stubborn chimneys. Designed by John A. Wetzel of the office of John Russell Pope.

The CP-31 series is an improvement over the above and was especially intended to be used with the Kernerator type of incinerator. Its advantages are—larger louvres which induce the maximum draft—a small ledge for the basket screen to rest upon and bevelled blocks which accurately set and hold the screen in position. Both the above models are of a design which is almost universally suitable for any architectural style. The illustration at the right shows a CP-831 in buff with a smoked top.

The CP-30 series was developed because of the numerous requests for chimney pots beyond the usual height of from two to three feet. This design is frequently used in combination with the CP-08 series illustrated on page five. This model can be reduced in height if desired at a slight additional charge.






To insure perfect draft the flue of the wood-burning fireplace should not be less in cross section area than 1/10 of the area of the face of the fireplace for a rectangular flue. 1/12 will do if it is absolutely necessary to save space, and 1/12 is sufficient if the flue is round.

To determine the area of a circular flue multiply the radius squared by 3.1416.

In selecting a chimney pot be sure to gauge the flue at its narrowest point. The dimensions of flues in the chimney pots illustrated are given at narrowest point, inside measurement. A chimney pot at its apex should not be less than 2 ft. higher than the nearest peaked roof, and not less than 3 ft. higher than the nearest flat roof.

AVERY LIBRARY COLUMBIA UNIVERS...



### ATLANTIC TERRA COTTA COMPANY

19 West 44th Street, New York, N. Y.

Southern Branch: ATLANTA TERRA COTTA CO., Atlanta, Ga. Plants at: Perth Amboy, N. J.; Rocky Hill, N. J.; Tottenville, N. Y.; East Point, Ga.